
AD

TECHNICAL REPORT

NATICK/TR-82/007

A SURVEY OF HOSPITALS USING A RESTAURANT MENU APPROACH IN PATIENT TRAY FEEDING



Carol P. Shaw

by

Gerald A. Darsch

Justin M. Tuomy

January 1982

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

UNITED STATES ARMY : SEARCH and DEVELOPMENT LABORATORIES SAUCK: MASSACHUSETTS 01760 /



Food Engineering Laboratory

FEL-116

88 06 20 026

Approved for public release; distribution unlimited.

Citation of trade names in this report does not constitute an official indorsement or approval of the use of such items.

Destroy this report when no longer needed. Do not return it to the originator.

UNCLASSIFIED 5 January 1982
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
Natick/TR-82/007 40-A/29	576
4. TITLE (and Subtitio)	S. TYPE OF REPORT & PERIOD COVERED
A SURVEY OF HOSPITALS USING A RESTAURANT MENU	
APPROACH IN PATIENT TRAY FEEDING	Final
	6. PERFORMING ORG. REPORT NUMBER FEL - 116
7. AUTHOR(e)	8. CONTRACT OR GRANT NUMBER(e)
Carol P. Shaw, Gerald A. Darsch and	
Justin M. Tuomy	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
US Army Natick Research and Development Laboratory	
Kansas Street	728012.19000 (.19)
Natick, MA 01760	
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
US Army Natick Laboratories	January 1982
Animal Products Group, Food Engineering Laboratory	13. NUMBER OF PAGES
(DRDNA-WTA) Natick MA 01760 14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	Final - 42 18. SECURITY CLASS. (of this report)
MONITORING AGENCY HAME & ADDRESS IN MINISTER DAM COMMUNICATION	10. DECURITY CEASS. (OF SHE RESTLY
	Unclassified
	184. DECLASSIFICATION/DOWNGRADING
	SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)	
Approved for public release; distribution unlimite	d.
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from	m Report)
16. SUPPLEMENTARY NOTES	
19. KEY WORDS (Cantinue on reverse aids if necessary and identify by block number)	
A survey of 17 hospitals using a restaurant type me determine the acceptability of this type of menu. were satisfied with their menus. Sample menus were Prototype restaurant menus for WRAMC were developed diets. Information was also collected from nine he or frozen convenience foods systems. Recommendation menu in a cook/freeze system at WRAMC are given.	Fifteen of the 17 hospitals e obtained and reviewed. If for regular and modified oppitals using a cook/freene

DD 1 JAN 10 1473 EDITION OF 1 NOV 05 IS GROULETE

Unclassified 5 January 1982 SECURITY CLASSFICATION OF THIS PASE (Mice See

PREFACE


This project was completed at the US Army Natick Research and Development Laboratories (NLABS) at the request of the Walter Reed Army Medical Center (WRAMC) and was funded under O&MA.19 account. This report details the findings of a survey of hospitals using a restaurant type of menu and gives recommendations for its use at WRAMC. It also contains information on hospitals using a cook/freeze or convenience system.

The authors wish to thank the members of the Audio-Visual Branch, especially Mr. Michael Downes, Ms. Diane Ballord and Ms. Clara Kontos, for the design of prototype menus.

The following hospitals and food service contractors provided information contained in this report.

A R A Services, Inc. Philadelphia, PA Beth Israel Hospital, Boston, MA Brooklyn Hospital and Medical Center, Brooklyn, NY Buffalo General Hospital, Buffalo, NY Eliot Hospital, Manchester, NH Emerson Hospital, Concord, MA Goddard Hospital, Brockton, MA Harper Grace Hospital, Detroit, MI Hennipen County Medical Center, Minneapolis, MN Herman Hospital, Houston, TX Leonard Morse Hospital, Natick, MA Lutheran Medical Center, Denver, CO Mercy Hospital, Des Moines, IA Mt. Auburn Hospital, Cambridge, MA Norfolk General Hospital, Norfolk, VA Riverside General Hospital, Newport News, VA Seiler's Corporation, Waltham, MA Service Direction, Minneapolis, MN Sinai Hospital of Baltimore, Baltimore, MD St Charles Hospital, Toledo, OR St Vincent's Hospital, Worcester, MA The Tulane Medical Center Hospital, New Orleans, LA United Hospitals, St. Paul, MN University of Colorado Medical Center, Denver, CO





West Jersey Hospital, Camden, NJ

TABLE OF CONTENTS

Preface	•••••	• • • • • •	• • • • • • •	• • • • • •	•••••	• • • • • • • •	• • • • • • • • • • • •	Page 1
List of	Tables .	• • • • • •	•••••	• • • • • •	•••••	•••••	•••••	Page 4
List of	Figures	•••••	•••••	• • • • • •	•••••	•••••	• • • • • • • • • • • •	Page 4
Introduc	ction	• • • • • •	•••••	•••••	•••••	•••••	••••••	Page 5
Procedu	re	• • • • • •	• • • • • • •	• • • • • •		•••••	•••••	Page 5
Results	• • • • • • •	• • • • • •	• • • • • • •	•••••	•••••	• • • • • • •	• • • • • • • • • • • • •	Page 6
							•••••	•
Conclusi	ions and	Recomm	endation	8				Page 31

LIST OF FIGURES

		Page
Figure 1	Sample Order Instructions	. 15
Figure 2	Prototype Regular Diet Menu	17
Figure 3	Prototype Modified Diet Menu	. 19
Figure 4	Prototype Dental Liquid Menu	. 21
Figure 5	Prototype Pureed Bland and Full Liquid Menu	. 23
	LIST OF TABLES	
Table 1	Advantages and Disadvantages of Using a Restaurant Menu	9
Table 2	Selections Offered on Restaurant Menus used by Various Hospitals	. 10
Table 3	Mean Numbers of Food Items Offered Patients on Restaurant-Type Menus	. 12
Table 4	Types of Selected Diets at Various Hospitals	. 13
Table 5	Prototype Menus: Total Number of Items for Selection	. 24
Table 6	Number of Items Assembled, Excluding Beverages, Condimenta Accompaniments	-
Table 7	Hospitals Using Cook/Freeze or Frozen Convenience Foods	. 26

A SURVEY OF HOSPITALS USING A RESTAURANT MENU

APPROACH IN PATIENT TRAY FEEDING

Introduction

The type of menu used in hospital feeding has a great influence on the quality of food served and the acceptability of the food by the patients. It has long been known that offering choices in a menu is an important factor in increasing the patient food acceptability. The most common menu used in hospital patient feeding today is one in which patients are offered a choice of two or three items for appetizers, entrees, vegetables, starches and desserts. After a specific time period, which may be as short as three or four days or as long as four weeks or more, the choices repeat themselves, rotating in the same cycle. The menu is then described with the cycle time specified, such as a "seven-day cycle menu" or a "fifteen-day cycle menu".

Many hospitals are investigating alternatives to a cycle menu, and many are changing to what is termed a "restaurant or hotel menu". With a restaurant or hotel menu, the patient is given one all-inclusive menu for the duration of his hospital stay. Each day the patient selects his choices for breakfast, lunch, and dinner as if he were staying in a hotel and selecting from a room service or restaurant menu. The cafeterias in these hospitals usually retain a cycle menu incorporating some items from the patient menu.

The Walter Reed Army Medical Center (WRAMC) in Washington, DC for which the U.S. Army Research and Development Laboratories (NLABS) has rendered much technical assistance, asked the Natick Laboratories to investigate the possibility of changing to a restaurant type menu for patient feeding. WRAMC is a 1280-bed hospital that opened in December 1978 and uses many innovative approaches and much innovative equipment. The system was designed to be a cook/freeze system; however, a cook/chill system was used for the first 16 months of operation. A 42-day menu cycle is used, and 88 types of diet modifications are available. This long menu cycle, compounded by a large percentage (over 40%) of patients on modified diets, results in a large number of different products that must be prepared each day. Effective quality control over such a large number of items is extremely difficult. It was theorized that the use of a hotel menu would significantly reduce the number of items requiring preparation each day and would allow for a smoother transition to a cook/freeze system.

Procedures

Twenty-two hospitals as listed below were contacted in this survey.

Beth Israel Hospital, Boston, MA Brooklyn Hospital and Medical Center, Brooklyn, NY Buffalo General Hospital, Buffalo, NY Eliot Hospital, Manchester, NH Emerson Hospital, Concord, MA

Goddard Hospital, Brockton, MA Harper Grace Hospital, Detroit, MI Hennipen County Medical Center, Minneapolis, MN Herman Hospital, Houston, TX Leonard Morse Hospital, Natick, MA Lutheran Medical Center, Denver, CO Mercy Hospital, Des Moines, IA Mt. Auburn Hospital, Cambridge, MA Norfolk General Hospital, Norfolk, VA Riverside General Hospital, Newport News, VA Sinai Hospital of Baltimore, Baltimore, MD St Charles Hospital, Toledo, OR St Vincent's Hospital, Worcester, MA The Tulane Medical Center Hospital, New Orleans, LA United Hospitals, St Paul, MN University of Colorado Medical Center, Denver, CO West Jersey Hospital, Camden, NJ

Sixteen of these hospitals currently use a restaurant menu and one formerly used such a menu. Seven of the hospitals use a cook/freeze system and two a frozen, convenience-food system. The hospitals contacted were selected from those mentioned in the literature or from personal reference. Five hospitals, Beth Israel, Boston, MA, Mt. Auburn Hospital, Cambridge, MA, Emerson Hospital, Concord, MA, Lutheran Medical Center and University of Colorado Medical Center, Denver, CO, were visited personally to observe operations and discuss menus; the remainder were interviewed by telephone. A food service company (Seiler's Corp) that provides hospital food service to several hospitals using restaurant menus was also contacted and visited. Representatives of two other food service companies (ARA and Service Direction) were also consulted. In all but one instance the person contacted was the food service director or the chief dietitian. Specific information sought included the number of beds in the hospitals, the type of food system used, the number and types of selections offered on the restaurant menu, and the advantages and disadvantages of such a system. Hospitals were requested to send samples of their menus to NLABS. Fourteen hospitals sent their regular diet, restaurant-type menus, and ten also forwarded their special diet menus. In addition to questions about menus, nine hospitals using cook/ freeze systems or frozen convenience foods systems answered questions pertaining to the operation of these systems.

Prototype restaurant menus were designed at NLABS for a regular diet, consolidated modified diets, a pureed bland diet, a dental liquid diet, and a full liquid diet. Recommendations were made for the use of a restaurant menu at WRAMC.

Results

Of seventeen hospitals evaluating the use of a restaurant-type menu, twelve (70%) were very enthusiastic; three (18%) also expressed satisfaction, but in actuality were using a modified restaurant menu in which the hot entrees, vegetables and starches were rotated on a seven-day basis; while the remainder

of the menu remained constant; and two hopsitals did not like the restaurant-type menu. Both hospitals not liking the menu felt that too many items had been added, patient tray assembly had become unwieldy, and patients had difficulty in selecting from a large number of items. One of these had discontinued its use.

These findings are summarized as follows:

Hospitals Contacted with	17
Present or Past Use of Restaurant Menu	1
Number of Beds	
Mean	502
Range:	234-1200
Type of System Used	
Conventional	10
Cook/Freeze	4
Cook/Chill	2
Frozen Convenience Foods	1
Like Restaurant Menu	12
Like Modified Restaurant Menu	3
Do not like Restaurant Menu	2*

*One has discontinued its use; the other plans discontinuance.

Advantages and disadvantages of the restaurant menu as expressed by the food personnel interviewed are listed in Table 1. With this menu patients may make selections for a variety of categories. A compilation of the numbers of selections offered by fourteen hospitals is made in Table 2. The mean number of selections and the range of selections differed considerably. The St. Charles Hospital was so atypical in its large number of offerings that it was not included in the compilation of food items offered, nor were the lunch-dinner totals in those hospitals offering different selections for lunch and dinner (Table 3).

Most hospitals offered choices for sodium-controlled, calorie-controlled, and fat-controlled diets. Eight hospitals combined two or more restrictions which usually involved the consolidation, in some manner, of fat, calorie, sodium, and cholesterol restrictions or fiber, residue, and bland restrictions. Three hospitals had diets listed as "special restricted" which included items found on few types of diets. The modified diet menu restrictions offered by ten hospitals are summarized in Table 4.

TABLE 1. ADVANTAGES AND DISADVANTAGES OF USING A RESTAURANT MENU

Advantages

decreases number of items to be prepared

gives high patient acceptability

offers more efficient use of cook/freeze production type system

offers increased variety with daily specials

allows patient tray assembly personnel to select from the same items each day

provides variety for modified diet patients

decreases number of products needing monitoring for quality control purposes

simplifies forecasting

provides opportunity for larger lot purchases

simplifies inventory control


Disadvantages

possible boredom factor for long-term patients

increased number of items to be assembled at patient tray assembly

difficult to completely interface with cafeteria

tendency to add too many items to menu



Bospital Operator	Harper Grace In-House	St. Charles In-House	Sinei In-House	Emerson Food Service	Goddard Food Service	Eliot Food Service	Leonard Morse Food Service
Location No. of Deds	Defroit, ME 999	Toledo, OR 350	Baltimore, MD 600	Contractor Concord, MA 350	Contractor Brockton, MA 236	Contractor Manchester, NE 234	Contractor Matick, MA 250
Type of System	Ready Poods	Cock/Freese	Cook/Freeze	Conventional	Conventional	Conventional	Conventional
Breek fast							
Appetisors	21	18	21	€0	7	Ħ	O.
	- # €	0-4	ma	4 4 c	5£08	5£• 6	4 4 (1
Not cereals	ገ ሰማ ዮ	r (1 tr	, u ^E	4 W F	7 (9) P	୯୯	n (4 V
Starches	- N -#	-o m	1 m %	-om	- H M) H M	o a m
Freeds Others	CJ -#	H 60	0.4	at M	mvo	mæ	(v.=*
Lunch-Dinner							
Appetions Not Intrees Not Sendriches Cold Flates Cold Sendriches	~	9 4 0 8 6	17. 2. 2. 3. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.	9 y 1 m m	55 0 0 v	10 110 140 140 140 140 140 140 140 140 1	୭ ଧୁ ୮ ୯ ୯
Starunes Potatoss Others Vegetables Salads Breads	4 4 04 9 04 9 04	9 9 11 14 E	74. 10 98. 18 64.	8 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	พสงส ^ร ี รู	27. 27. 27. 27. 27. 27. 27. 27. 27. 27.	พ ฯ ৮ ๙๙ ฆ

<sup>a - not separate, plated with entree
b - on a 7-day rotational schedule
c - plus I daily special
d - plus Adaily specials
e. - have 5-meal-a-day plan. Figures represent brunch and dinner. Also have "eye-opener", midday snack, bedtime snack.
f. - includes comelet of the day
g. - includes cholesterol-free egg substitute
h. - on order sheet only
i. - not evailable</sup>

TABLE 2 - SELECTIONS OFFERED ON RESTAURANT-USED MENUS USED BY VARIOUS HOSPITALS (Continued)

Mospital Operator	St. Vincent Food Service Contractor	Mt. Auburn Food Service Contractor	Herman In-House	Hennipin County Food Service Contractor	Beth Israel Food Service Contractor	Buffalo General In-House	Tulene In-House
Location No. of Beds	Worcester, MA. 600	Cambridge, MA 300	Houston, TX 700	Minneapolis, MW 200	Boston, MA 452	Buffalo, NY 700	Hew Orleans, LA . 300
Types of System	Conventional	Conventional	Cook/Ch111	Cook/Chill	Conventional	Conventional	Conventional
Breekfast							
Appetizers	10	8	_	æ	13	٥	13
- 10	*** c	51.6	ou o	ભ ભ	8 ¹ 1 c	mo	.a. 6
Hot cereals	7 N	u Q	u 01	u m	. -3	u	n Qu
Cold cereals	œ	ា	80	· &	80	• •	-
Sterches	-	0	0	0	0	0	«
Mests	Q,	œ	N	CΙ	a	m	m
breads Tosst	m	m	1	m	m	0	0
Others	21	9	m	ય	Φ	:-	m
Lanch-Dinner				Lunch Dinner		Lunch Dinner	
Appetizers	Φ.	&	m		7	2°C	13
Bot Intrees	136	130	σ.	30	13	2°q£ 2°q†	2
Not Sandwiches Cold Plates	w t-	-4 -1	0 "	0 -	01 m	0 0	\ ∧ -4
Cold Sandriches	·w	m	10	10	ım	1c 0c	- 4 ?
Potetoes	æ	Q	н		a		4
Obhers Vegetables	~ ~	-1 O	100		40	24,b,c 24,b,c	ૠ
Seleds	erd Em	. 	01	9	o Z	м с	15
Desserts	ำ	18	• 0		61	. &	212

<sup>a - not separate, plated with entree
b - om a 7-deg rotational schedule
s - plus 1 delly special
la - plus 4 delly special
la - plus b delly special
la - plus b delly specials
la - plus b dello b dello b dello b dello dello dello dello dello dello dello b dello dello b dello dello b dello dello b dello dello dello dello b dello</sup>

TABLE 3. NUMBERS OF FOOD ITEMS OFFERED PATIENTS

ON HOSPITAL RESTAURANT-TYPE MENUS

Breakfast	Mean	Range
Appetizers	10	7-18
Entrees (total)	6	4- 9
Eggs	3 3	2- 5
Others	3	2- 5
Cereals (total)	10	5-13
Hot	2	2- 4
Cold	8	6-11
Starches	1	0- 2
Meats	1 3	1- 4
Breads (total)	. 7	3-15
Toasts	2	0- 4
Others	7	3-15
Supper-Dinner ¹		
Appetizers	10	3-15
Hot Entrees	15	10-25
Hot Sandwiches	2	0- 5
Cold Plates	5	2- 8
Cold Sandwiches	4	0- 9
Starches ²	4	2- 5
Vegetables ²	7	6- 9
Salads	8	4-15
Breads	4	2- 6
Desserts	16	9-27

 $[\]mathbf{1}_{\mathbf{not}}$ including those with a separate lunch and dinner menu

 $^{^{2}}$ including only those with a separate selection

TABLE 4. TYPES OF SELECTED DIETS AT VARIOUS HOSPITALS

	Hospital	Harper Grace	St. Charles	Mt. Sinai	Leonard Morse	Mt. Auburn	Norfolk General	Herman	Hennipin County	Beth Israel	Buffalo General
	Single Restrictions Children's		×	Þ				×	#	×	
	Koeher Sodt :=/B	×	×	< ⋈		×	×	×	×	×	×
	Calorie/R	}	× ×	× ×	×	××	×	××	MM	××	××
	rat/k Cholesterol/R Pensi	×	•	•		ł	×	ł	M		×
	Protein/R Soft Mech. Soft		×					×	***	M	н
	Fiber/R Residue/R Purced	×		×		:		×	××	Þ	Ħ
13	Liquid ' Bland Combination Restrictions Fee / P. Seit/R Cholesterol/R	×	×			×			•	4	×
	Soft Bland, Ulcer Soft, Bland, Residue/R Sodium/R, Fat/R	* *	×	×	× ×	>					
	opecial/R Sodium/R, Calorie/R Soft, Bland Fat/R, Cholesterol/R	•		×	1	f	××	×	×		
	Sodium/R, Cholesterol/R, Calorie/R Calorie/R, Soft Fiber/R, Bland						×	ĸ	×		

In the hospitals contacted, order sheets are color-coded to the menu. Order sheets vary greatly in type. All but three repeat the items for selection from the menu on the order sheet. Patients of the other hospitals order the entree, appetizer, dessert and salad by number. At five hospitals patients circle all their selections; at one hospital the patients circle the items desired, except for the entree which is written in. At two others, the patients check off the selections desired. In most cases the beverages, condiments, and accessories are written on the order sheet but not on the menu itself. Figure 1 illustrates the instructions one hospital gives to its patients on the inside of its multiple-page menu.

Prototype Menus

Prototype menus for WRAMC were developed at NLABS taking into consideration the number of selections offered at other hospitals, recommendations of food service personnel contacted, length of patient stay at WRAMC, acceptance data obtained in other NLABS studies, sensory data from products developed at NLABS, production guides available, compatibility of the products with the WRAMC production system, and compatibility with the rethermalization system. Figures 2-6 illustrate the proposed formats for menus. These menus not only illustrate the number of selections recommended, but the desirable types of foods. However, the specific foods listed are not necessarily the only options to be considered, and it is anticipated that the WRAMC dietary staff may wish to make changes. Figure 2 illustrates the regular diet menu. Figure 3 is the consolidated modified diet menu recommended for calorie-restricted, type II hyperlipoproteinemia, diabetic bland diets and would also be the one used (but printed in a different color) for sodium-restricted, calorie-restricted, type II hyperlipoproteinemia, diabetic, bland diets. Figures 4 and 5 illustrate the pureed bland, dental liquid, and full liquid-diet menus.


The number of choices that a patient would have on each diet are shown in Table 5. Illustrated in Table 6 is the number of items, excluding beverages, condiments, and accompaniments that would have to be assembled using these menus. The number is not as high as the total number of items for selection because, for assembly purposes, if the item has already been offered on another menu, it has not been counted again. It was found that the total number of items to be assembled (209) is considerably fewer than the number currently assembled at WRAMC.

Instructions For Ordering From Your Menu

- Find the menu order form in your seenu and write your foom number, your name, and tomorrow's date for each meal you order.
- All foud items have a number. Choose the item you want and write that number in the box on your menu order form.
- The Lanch and Dinner Entrees often include a choice of starches.
 Please indicate your selection by writing "A" or "B" to the right of the Entree number.
- 4. Change fund items for each meal

- under the proper heading, for example:
- example:
 Breakfast Entrees under Broakfast, etc.
- 5. Circle, your bread, margarine, and beverage selection for each meal.
- 6. See example above on this page.
- 7. Complete the entire form. A person from the Dietary Department will pick it up.
- 8. A Dictition is available to assist you if you desire.

Figure 1. Example of food order. (Courtesy of Tulane Medical Center Hospital)







Appetizens me nice

COMOMME

TOMATO ANCE

CHICKEN MOODLE SOUP SUCE MOORHPUM OF MASKS SUCE SAMESEY

Cold Entrees FAUT SALAD WITH COTTAGE CHEESE CHEFT SALAD HAM AND CHEESE SANDWICH TURN SANDWICH

Hot Sandwiches PIZZABURGER HAMBURG ON A BUN WITH POTATO CHIPS

Wot Entrees

MACARONI AND CHEESE VARNEE POT BOAST WITH OVER BROWNED POTATOES TWENTH MEATMALL WITH MATHER POTATOET BRIED FIRM WITH CHEESE SAICE AND OVER BROWNED POTATOES SHIRM CREOLE OR SEA FOOD REVISING WITH BICE CHICKEN FAICASSEE WITH OVER BROWNED POTATOES PENDON CHATTUR HTW INCOMES PORT CHOP SHEY OR SWEET AND SOUR PORE WITH NICE MINED HATH WITH CHERRY SHIECE AND SWEET POTATO BEEF BURGUNDY OR BEEF STROGMONF WITH BUTTERED HOOBLES MY STEAK WITH PURISOOM SAUCE AND MARKED POTATOES BOAST DEEF AND GENEV WITH PARKED POTATOES
CATTERIOLE SPECIAL: REOPOLITAIN PROGRETTI, AREOZ CON POLLO.
TURKEY TETRAZZINI, OR TALLERIMES

Vegetables

COLLAND GREETK

STEWED TOMITOES

BUTTERED CORN

CARROT CONT

GREEN DEANS

GREEN PEAS

Salads

TOSSED CREEN SALAD

FRUITED GELATIN SALAD

POTATO SALAD

COLE SIAM

Breads

STICK ROUND

WHITE MEAD

WHOLE WHEAT MEAD

IVE MEAD

Descents


MIC NC COOME1

PCAR JELLO CHILAD

REACHES

MOD CARE BEWLY FOOD CARE

Prototype Regular Diet Memu





and Juices

FRUIT COCKTAIL

FRESH FRUIT IN SEASON CHANGE, MILE. OMMIGE, MELON)

Eggs

OMELET SCRAMBLED EGGS

Cereals

CREAM OF WHEAT OATMEAL PUFFED WHEAT

SPECIAL K

Accompaniments

POTATOR INVOICE HEAH

Breakfast Breads

WHOLE WHEAT TOAT TROT STIMW RAKIN TOAST

MUFFINS (FRUIT)

(Modified Diet Menu **Dinnen** - Suppen

Appetizens

APPLE JUICE TOMATO JUICE

VEGETABLE SOUP

CHICKEN MOODLE SOUP CREAM OF MUSHROOM SOUR

Cold Entrees

FRUIT SALAD WITH COTTAGE CHEESE SLICED CHICKEN SANDWICH CHEF'S SALAD

Hot Sandwiches CHEESEBURGER ON A BUR

HAMBURG ON A BUN

Wot Entrees

ROAST CHICKEN AND GRANY WITH MASHED POTATOES CHICKEN CACCIATORE WITH MOODLES VANKEE POT ROAST WITH OVER BROWNED POTATOES ROAST BEEF AND GRANY WITH MASHED POTATOES MACARONI AND CHEESE POTATOES BORNOOR WATER WATER BAKED SALKBURY STEAK AND MUSHROOM SAUCE WITH MASHED POTATOES STEAK BRAISED WITH MUSIMOOMS AND OVEN BROWNED POTATOES VEAL LOAF WITH VEGETABLE SAUCE AND PARSLEY SLICED POTATOES ITALIAN YEAL BALLS WITH TOMATO SAUCE AND MOODIES TURA PATTIES WITH LEMOR SAUCE AND HASH BROWN POTATOES CREOLE HALBUT WITH RICE

Vegetables

COLLARD GREENS

POTAMOT GOWST?

CARROT COINS

COM GREEN BEAK

GREEN PEAS

Salads

TOSSED GREEN SALAD FRUIT GELATIN SALAD

POTATO SALAD

FRUIT WITH COTTAGE CHEESE

Breads

WHITE MEAD

WHOLE WHEAT MEAD EVE MEM

DIMMER BOLLS

Dessents


PEARS CHERRY CORNER


PEANUT BUTTER COOKIES

FRESH FRUIT IN SEASON

AMPLESANCE PEACHES POWED CARE

Modified Diet Prototype Menu







Breakfast

Juices

GRAPEFRUIT JUICE CRAMBERRY JUICE ORANGE JAICE TOMATO JUICE PRUNE JAICE

Cereals

CREAM OF WHEAT OATMEAL CREAM OF RICE

Beverages

HOT CHOCOLITE
EGGROG COFFEE

Dental Liquid Menu Dinnen - Suppen

Appetizers

CREAM OF CHICKEN SOUP APPLE JUCE CREAM OF ROTATO FOR A SOUP CREAM OF POATS OF PASSOUP

Entrees

SWEET AND SOUR PORK
HAM AND CHEESE FONDUE
BEEF AND SPACHETTI SAUCE
VANKEE POT BOAST
BEEF STROGMOFF

CHICKEN AND WINE HAWARAN CHICKEN BEEF BURGUNDY BEEF AND GRAVY CHICKEN AND GRAVY

Vegetables

MATHED POTATOES ASPARAGUS CARROTS MINED VEGETABLES BUTTERED PEAS WAIX BEARS LIMA BEARS GREEN BEARS


Desserts

NAMES OF STREET STREET, AND STREET STREET, STREET STREET, STRE

Beverages

MILK COFFEE TEA EGGROG HOT CHOCOLATE MILKSHAKE

Fig 4
Prototype Dental Liquid Menu
21



Full Liquid Menu **Executacy**

Juices

GRAPEFRUIT JUICE PRUNE JUICE

ORANGE ANCE APPLE JUICE

Cereals

CREAM OF BICE OATMEAL CREAM OF WHEAT

Beverages

TEA COHEE HOT CHOCOLATE

Dinner - Supper

Juices

APRICOT NECTAR TOMATO JUICE

HINEAPPLE JUICE

Soups

CREAM OF CHICKEN SOUP CREAM OF MUSHROOM SOUP - CREAM OF PEA SOUP

CREAM OF POTATO SOUP

Dessents

VAMILLA PUDDING

MEHO

CUSTARD

Bevelages not chocolate milk

COHEE TEA

Pureed Bland Menu

Breakfast

Fruits and Juices

CRAMBERRY JUICE ORANGE JUICE PRUNE JUICE

GRAPEFRUIT JUICE FRUIT COCKTAIL

Eggs

OMELET

SCRAMBLED EGGS

SOUFFLE

Cereals

CREAM OF WHEAT CREAM OF NICE FARIFIA

Accompaniments

WHITE TOAST

Puneed Bland Menu Dinner - Supper

Appetizers

CREAM OF CHICKEN YOUR APPLE JUCE CREAM OF POTATO YOUR CREAM OF PEA YOUR TOMATO JUCE

Entrees

TWEET AND SOUR PORK HAM AND BAISIN SAUCE CHICKEN A LA KING MINECUED BEEF BEEF BURGUNDY

PROOBERUM DES 1936 VANKEE POT ROAST **BEEF STROGMOFF** BEEF AND GRANY **NEAL PAPEIKA**

Vegetables

CREEN BEANS **ASPARAGUS**

POTATOR GOHPAM WINTER SOURCH RICCOTAGE

WAXED BEARK GREEN PEAK

Deserts

DEETS

PEACHES MPLESAUCE PEAK CUSTAND **EUO**

Fig 5 Prototype Pureed Bland and Full Liquid Menus






TABLE 5. PROTOTYPE MENUS FOR HOSPITAL DIETS - TOTAL NUMBER OF ITEMS FOR SELECTION

	Regular	Mod 1 Cal/R Type II, HLP	Mod 2 Na/R, Cal/R Type II, HLP	Pureed	Dental	Full
	Met	Diabetic Bland	Ulabetic Bland	bland	<u> </u>	71dm1q
preskiast						
Appetizers	œ	∞	œ	9	5	4
Entrees (eggs)	4	2	7	ന		
Starches	2	2	Ħ			
Cereals						
(Hot & Cold)	9	9	Ŋ	'n	2	m
Meats	e					
Breads	9	4	4			
segerages					₩	*7
Supper-Dinner						
Appetizers	9	5	Ŋ	Ŋ	9	∞
Hot Entrees	13	12	12	01	10	
Hot Sandwiches	7	7	2			
Cold Plates	7	2	2			
Cold Sandwiches	s 2	H	H			
Starches	2	9	9		п	
Vegetables	9	9	7	7	7	
Salads	4	4	4			,
Breads	4	4	4			•
Desserts	0	œ	œ	vo	9	m
Beverages					*9	*

24

*Dental Liquid and Full Liquid Diets are supplemented with beverages not necessarily available on other diets.







CRITS




Fig 5
Prototype Pureed Bland and Full Liquid Namus
23

TABLE 5. PROTOTYPE MENUS FOR HOSPITAL DIETS - TOTAL NUMBER OF ITEMS FOR SELECTION

	Regular Diet	Mod 1 Cal/R Type II, HLP Diabetic Bland	Mod 2 Na/R, Cal/R Type II, HLP Diabetic Bland	Pureed Bland	Dental Liquid	Full Liquid
Breakfast						
Appetizers	œ	œ	œ	9	50	7
Intrees (eggs)	4	7	7	ო		
Starches	2	7	п			
Cereals						
(Hot & Cold)	9	9	ស	2	'n	e
Meats	9					
Breads	9	4	7	-1		
Severages					*	*7
Supper-Dinner						
Appetizera	•	5	٧٦	2	9	ထ
Hot Entrees	13	12	12	01	10	
Hot Sandwiches	2	7	7			
Cold Plates	7	7	7			
Cold Sandwiches	8 2		-			
Starches	~	9	9	~	-	
Vegetables	9	9	7	_	7	
Selads	4	4	4			
Breads	4	4	4			
Desserts	6	∞	œ	φ	•	w.
Beverages					*9	**

24

*Dental Liquid and Full Liquid Diets are supplemented with beverages not necessarily available on other diets.

TABLE 6. NUMBER OF ITEMS TO BE ASSEMBLED EXCLUDING BEVERAGES, CONDIMENTS, ACCOMPANIMENTS

	Regular Diet	Mod 1 Cal/R Type II,HLP Diab Bland	Mod 2 Na/R,Cal/R Type II, HLP Diab Bland	Purced Bland	Dental Liquid	Full Liquid	Total
Breakfast							
Appetizers	8	2 # 2		2	1 5		13
Entrees	4	2	2		5		13
Starches	1		1				2
Cereals	1 7			2			13 2 9 3 10
Meats	3						3
Breads	6		4				10
Supper-Dinne	er						
Appetizers	6		3	3	4	3	19 63
Hot Entrees and Sandwic	15 ches	14	14	10	10		63
Cold Plates and Sandwic	4	2	2				8
Vegetables	6			8	8		22
Salads	4	14	3	•	•		11
Breads	14	·	3 4				8
Desserts	9	8	3	2	6		28
Total							209

^{*} items in addition to regular diet items needing assembly.

HOSPITALS USING COOK/FREEZE OR FROZEN CONVENIENCE POODS

			TABLE	_				
Bospital	Location	Operator	Number of of Beds	Menu Poo Type Cool	Foods Prepared F. Cook/Freeze F	Frozen Convenience Foods Used	Other Food Preparation	Size of Frozen Lots
Brooklyn Hospital and Medical Ctr	Brooklyn, MY	In-house	0011	2-week selective	Almost 100%	e 000 pg	Salads, scrambled eggs cook/chill	60-portion bulk
Mercy Hospital	Des Moines, IN In-house	In-house	200	7-day select cycle	Entrees, some starches, scrambled eggs steamed then frozen	Desserts en	vegetables conventional	half size polystyrene steam table pans
Mt. Sinai	Beltimore, MD	In-house	009	hotel	entrees, starches vegetables	None	breakfast prepared conventionally	preplated
Riverside General	Hewport Hews, VA	Food Serv- 641 ice contractor (ARA)	641 stor	4-day select cycle	About 90%	яА	prepared cook/ chill offsite	preplated
St. Charles Hospital	Toledo, OR	In-house	350	hotel	About 90%	ИА	desserts pre- pared conven- tionally or cook/chill	preplated
Morfolk General Morfolk, VA	Horfolk, VA	Food Serv- 64i ice contractor (ARA)	644 stor	3-day select cycle	About 90%	ИА	Breakfast con- ventional except for French toast, pancakes	preplated.
W. Jersey Hospital	Canden, MJ	In-bouse	089	12-day select cycle	entrees, vegetables starches	es very little	Conventional	individual portions
Harper Grace Hospital	Detroit, MI	In-house	666	hotel		¥ 666	Hard & soft by cooked eggs prepared on floors	bulk rs
Lutheran Medi- cal Center	Denver, CO	Food Service 350 Contractor (Serv	Food Service 350 hotel Contractor (Service Direction	hotel ection)		× 666	emphasize cold by selection to decrease geheating	bulk ng

HOSPITALS USING COOK PREEZE OR PROZEN CONVENIENCE POODS TABLE 7 continued

Bospi tal	Jepsety J	Rethermalization	Cafeteria	Comments
Brooklyn Hospital and Medical Center	b50₹ rodm	3M cart & modules	100% cook/ freeze	Cook/freeze costs half as much as conventional. Personnel costs greatly reduced, food quality high.
Mercy Bospital	38°F room	microveve ovens on floors, 2 to 20 patients	separate except for some frozen entrees	Lack sufficient frozen storage space, would freeze more and stock larger inventory with increase in freezer space. Negative complainte initially, very few now.
Mt. Sinai	walk-in-refrig- ator	convection oven	conventional	Frozen foods keep being eroded by larger use of cold plates, other cook/chill items.
Riverside General	40°F room	microwave tunnel	50% bulk frozen	Does not like microwave tunnel, difficult to change controls.
St. Charles Hospital	40°P room	3M modules & carts	conventional	Would like to bulk freeze for cafeteria.
Forfolk General	₩Ook room	microsave tunnel	frozen in dulk	Takes careful planning to coordinate cafeteria and patient tray service. Ideal system combines fresh, cook/chill, cook/freeze.
W. Jersey Hospital	38°F box	microwave tunnel	24 entrees frozen in half size steem table pans	Cook/freeze good only for large facilities. Lacks sufficient freezers & productions space. Would freeze soups, desserts if more room available. Would like to reheat without tempering.
Harper Grace Hospital	rapid thaw tempering box	microwave ovens on floor	separate	
Lutheran Medical Center	rapid thaw tempering box	microwave on floors 2 to 40 patients	ready foods	Likes microwave reheating system because not tied into use of specific dishes.

Discussion

Restaurant Menu. The hospital personnel contacted were very open and helpful in discussing their opinions of the restaurant menu approach. Fifteen of those liking the restaurant menu or a modified restaurant menu said they had no problems with patient tray assembly as long as there was sufficient training of personnel.

Two of the hospitals had different choices for supper and dinner. This was to give the patient a change from selecting from the same menu for both the supper and dinner meals. However, most hospitals felt that combining supper and dinner had over-riding advantages. It not only gives the patient more items from which to choose, but it allows for more efficient use of leftovers, and relieves personnel on the patient tray assembly line from remembering locations of different items for two meals.

Two hospitals allowed a menu choice for the special diets only through their order sheets. In this way the patient is presented with a regular diet menu, but the order sheet would specify the restriction after an item, or not include an item that was not allowed on the diet. For example, on a low sodium diet, there would be no place on the order sheet for the patient to order an item such as ham or bacon. The dietitians felt this was an important learning situation for the patient because away from the hospital, he would be required to select items from a regular menu.

Methods of marking order sheets varied considerably as did the opinions of the persons interviewed about them. Some of the hospitals used a number system for ordering and those who did, liked the system. Several others had tried using the numbering system but found it too confusing for the patient tray assembly personnel. They felt the assembly worked better if the item ordered was circled, checked off or written out. One administrator emphasized the need for rotating the patient tray assembly personnel to prepare for absences and to prevent boredom. Although the patient tray assembly personnel have more items to assemble with a restaurant menu, this work is partially offset by always having the same items to assemble. Therefore, the people on the line become more adept at locating the right item.

All hospitals interviewed felt that cold plates and sandwiches were an important part of their menu, and all but one said that cold entrees accounted for between 25 to 75% of the patient entree selection, with the noon meal often running at 50 to 60% cold selections. The one person who said his cold selection was very low, around 4%, attributed this to the high quality of the hot entrees.

Each hospital person contacted was asked about interfacing the patient tray menu with the cafeteria. Two had almost competely interfaced the cafeteria with the patient most tried tray menu and to work the cafeteria in conjunction with the patient tray service to some extent. Problems in interfacing the cafeteria included lack of frozen storage space and the need for additional selections. Careful planning was stressed in combining a cafeteria and patient tray cook/freeze system. One hespital food service

director felt that cafeteria patrons were happier with the restaurant menu system because they no longer felt they were getting patient leftovers.

The menus, as summarized in Table 3, show a very high concentration of effort on the entree portion of the menu. Few hospitals were as imaginative or diverse in the offering of such items as appetizers, salads, vegetables or even desserts as they were in the entree selection.

Specials of the day were emphasized in almost all hospitals. One hospital, while offering a very large selection of hot and cold entrees, also offered four extra hot entrees each day. Specials were used not only for entrees, but also for "soup of the day" and "omelet of the day". Dessert specials, sandwich specials, and fresh fruit specials were also used. In certain categories, products were not identified specifically so that the flavor or type could be varied from day to day. Generally, such items as frosted cake, jello, or dinner rolls were listed. A few hospitals had a special Sunday menu, and most had special holiday meals. Several order sheets allowed a position for a patient to check off "daily special" under the appropriate category. Specials very often would include what was being served in the cafeteria for that day. All of the conventional systems observed combined portioning and assembly. This worked quite smoothly in the hospitals visited. Although these hospitals were relatively small and therefore relatively few trays had to be filled, the number of items to be placed on each tray was comparable with that of larger hospitals.

At one 250-bed hospital it took 50 minutes to portion and assemble the trays. One 700-bed hospital combining portioning and assembly used two lines, each line taking about 1 hour and 15 minutes. They estimated plating and tray assembly at 300 portions per hour per line.

In general the hospitals felt little need for frequent menu revisions. The food service contractor that was visited indicated that they printed a year's supply of menus initially and changes were sometimes made after a year. Other hospitals had used the same menus for up to six years. Only one hospital printed and revised the menu relatively often, and this was primarily done to offer seasonal specials and to take advantage of changes in prices of various food items.

In the hospitals interviewed, the trend seemed to be toward forecasting rather than tallying, except for very specialized diet items. With the same items served each day forecasting can be quite accurate.

Breakfast was the most difficult meal for all hospitals surveyed. In those, using a cook/freeze system or even cook/chill systems, breakfasts were often made conventionally. Scrambled eggs were made centrally; frozen omelets were sometimes purchased; and in one hospital using convenience foods, hard and soft cooked eggs were prepared separately in galleys on the floor.

One tendency to be avoided seemed to be adding items to the menu until the number of items becomes unmanageable.

All hospitals said they had few complaints about the boredom factor of a hotel/restaurant menu, except from long-term patients, and this could be largely overcome with clip-on daily specials. With the exception of the two hospitals not liking the hotel-menu concept, all felt patient acceptability was very high.

Many hospitals used a portion of their menu for nutritional education of the patients, for giving instructions to the patient on filling out order forms, for an explanation of the need for special diet restrictions (usually that the patient's physician had prescribed that diet for the patient), for an explanation of the dietary staff visits, or for a brief history of the hospital.

Cook/Freeze Systems

Little negative feedback was received from those using a cook/freeze or frozen convenience food system. Most hospitals reported that they were satisfied with the system, although three lacked sufficient freezer space. One food service director stated that he felt the ideal system combines fresh, cook/chill, and cook/freeze items. In actuality, this is occurring in all cook/freeze systems because fresh items like fresh fruit, salads, cold plates, and cold sandwiches are being combined with some cook/chill items and the cook/freeze products. One hospital food service director felt he was reducing costs as much as 50% by using the cook/freeze system. Another dietitian reported very negative complaints about "frozen food" when the hospital first opened, but these ceased when the menu offered a choice of selections rather than single offerings given during the first few months of operation.

Those using microwave ovens on the floor to rethermalize had a range of from 1 microwave oven for 10 patients to one oven for 40 patients. One hospital reported that it took one minute 10 seconds to microwave each tray and 1 to 1 1/2 hours to heat and serve trays for a ward of 40 patients with one microwave oven. Most of those using microwave ovens on the floors had cold storage boxes on the floors for the delivery cart so that the food could remain chilled prior to rethermalization. Those hospitals using microwave tunnels or 3-M carts or modules had differing opinions as to the desirability of these systems.

Conclusions and Recommendations

The results of this survey indicate that the restaurant menu is being used successfully in many hospitals. There are obvious benefits in providing consistent products with such a menu and the disadvantages can be handled with a minimum of difficulty. The principal disadvantages are the lack of variety, especially for long-term patients and a change in patient tray assembly. The cook/freeze and cook/chill systems seemed to be operating satisfactorily in those hospitals on a cook/freeze system, although lack of sufficient freezer space was a common problem.

The use of the cook/freeze system at the WRAMC coupled with a restaurant-type menu would result in the production of larger batches of a fewer number of products, make quality assurance easier to monitor and encourage the substitution of large numbers of lesser quality items with fewer high quality items. The results of this survey show that the use of this menu would be a practical way to improve the food system at WRAMC.

Recommendations

General

- It is recommended that:
- 1. WRAMC adopt a restaurant type menu.
- 2. The restaurant type menu be planned around a cook/freeze system.
- 3. As many modified diet patients as possible be offered a restauranttype menu selection.
- 4. The cafeteria be interfaced with the patient menu to the greatest extent possible.
- 5. Extreme care be given to limiting the number of selections available on the menu.
- 6. Modified diets be consolidated as much as possible.
- 7. Selections on the menu be dependent on the following factors:
 - a. Compatibility with the WRAMC system.
 - b. Available preference data. 1
 - c. Sensory quality ratings from both NLABS2-7 and WRAMC.
- ¹H.L. Meiselman, D. Waterman, L.E. Symington, Armed Forces Food Preferences NLABS Technical Report 75-63-FSL, December 1974
- ²G. Darsch, C. Shaw, and J. Tuomy; Storage Study of Frozen Entree Items Developed for Walter Reed Army Medical Center, NATICK/TR-78/006, 1978. (AD A091 769)
- ³C. Shaw, G. Darsch, G. Legris, Y. Masuoka, and J. Tuomy; Entree Production Guides for Modified Diets, Part I: Consolidated Modified Meat Entrees, NATICK/TR-79/010, 1979. (AD A079 949)
- ¹C. Shaw, V. Loveridge, G. Darsch, and J. Tuomy; <u>ibid</u> Part II: Pureed Bland Entrees, NATICK/TR-79/011, 1979. (AD A073 718)
- ⁵C. Shaw. V. Loveridge, G. Darsch, and J. Tuomy; <u>ibid</u> Part III: Dental Liquid Entrees, NATICK/TR-79/012, 1979. (AD A069 183)
- ⁶G. Darsch, R. Young, C. Shaw, and J. Tuomy; <u>ibid</u> Part IV: Meat Substitute Entrees, NATICK/TR-79/013, 1979. (AD A079 958)
- 7J. McNutt, M. Branagan, J. McPhee, L. Albertini, and M. Klicka; ibid Part V: Renal Diet Items, NATICK/TR-79/014, 1979. (AD A083 141)

- d. Available cook/freeze production guides 3-13 or ready foods.
- e. Ease of preparation.
- f. Cost.

- ⁸R. Helmer, and H. Schlup; Meat Entree Item Production Guides for Vegetables, Entrees, Soups, Desserts, Pastries and Salads Developed for Use in Ft. Lee Interim Central Food Preparation Facility, NATICK/TR-74-27 (FEL 12), March 1975. (AD A009 733)
- 9A. Rahman, H. Gorfein, N. Kelley, G. Schafer, W. Swantak, and D. Westcott; Production Guides for Vegetables, Entrees, Soups, Desserts, Pastries, and Salads Developed for Use in Central Food Preparation Facility, NLABS/TR 75-37 (FEL 13) Sep 1974. (AD A001 725)
- 10A. Rahman, H. Schlup, G. Schafer, W. Swantak, and N. Kelley; Production Guides for Meat and Vegetable Entrees and Desserts Developed for Use in the Frozen Foil Pack Feeding System, F.E. Warren Air Force Base, NLABS TR76-20, FEL 52, Feb 1976. (AD A099 678)
- 11J. Tuomy, G. Walker, L. Hinnergardt; Pilot Plant Production of Frozen Entree Items for the Navy, NATICK/TR-79/31A (FEL 59) Sep 1976. (AD A031 327)
- 12G. Walker, J. Tuomy, C. Kanter; Egg Products for Use in a Cook/Freeze System, NLABS TR-76/28 (FEL 57) Aug 1976. AD A031 023)
- 13R. Young, C. Shaw, G. Darsch, J. Tuomy, and G. Walker; Meat and Fish Entree Production Guides Prepared for Walter Reed Army Medical Center, NATICK/TR-77/055 (FEL 77-004) 1977. (AD A004 476)

- 8. The same selections be available for both supper and dinner.
- 9. The order sheets be color-coded to the menu.
- 10. In most instances a patient be limited to one selection from each category of items.
- 11. For most items, forecasting be used to determine the amount of product to be tempered.
- 12. Additional entrees be prepared and packaged in bulk for cafeteria use.
- 13. Plans be made to increase the items offered on the cafeteria short order line.

Regular Diet Menu

Breakfast

- 1. Appetizers. The menu should contain 8 to 10 selections. However, because additional appetizers may be added to certain modified diets to increase variety, they could be added to the regular menu without expanding the number of items to be assembled. The use of fresh fruit when available is strongly recommended.
- 2. Entrees. The menu should contain 3 to 4 egg selections. Because French Toast, pancakes, and waffles are not compatible with the system, their use is not recommended.
- 3. Breakfast Meats. For ease of patient tray assembly, the breakfast meats should be combined with the entrees. Selection should be limited to 2 or 3 meat items, such as sausage, ham, and/or bacon.
- 4. Cereals. Cereals should be limited to 2 hot and 4 cold choices. However, because more choices may be desirable on some of the more restricted modified diets, these may also be added to the regular menu without expanding the total number of items to be assembled.
- 5. Accompaniments. Hash brown potatoes and grits should be included to enhance the breakfast menu especially after the elimination of items mentioned above because of their incompatibility with the system.
- 6. Breakfast breads. The selection of toast should be minimized because of its incompatibility with the food preparation system. Danish pastry, doughnuts, and muffins served warm would be preferable and can be varied by changing flavors and types. Therefore, the use of baked breakfast breads should be emphasized.
- 7. Beverages. Beverages could be ordered through the order sheet and need not be printed on the menu.

Dinner-Supper

- 1. Appetizers. Six to eight appetizers should be available for selection. However, like breakfast, additional appetizers from modified diets may be added without increasing the burden on patient tray assembly. The appetizers on the regular diet menu should be coordinated with those on modified diet menus as much as possible.
- 2. Cold Entrees. A minimum of two cold entree plates and two cold sandwiches should be on the WRAMC menu.
- 3. Hot Sandwiches. Two hot sandwiches should be available for selection.
- 4. Hot Entrees. A maximum of fourteen hot entrees should be listed on the regular diet menu. With an average patient stay of 7.3 days, a patient could theoretically have a different entree at each meal.
- 5. Starches. Starches should be listed on the menu in combination with the entrees to lessen the total number of items for combination in portioning and assembling. Five to six starches, compatible in flavor, texture, and color with the entrees with which they are coupled are sufficient. Certain casseroles, such as macaroni and cheese, will contain the starch as an integral part of the product.
- 6. Vegetables. No more than eight vegetables should be used. Portioning the vegetable with the entree is not recommended because of the difficulty in rethermalizing large amounts of food on one dish in the Alpha system.
- 7. Salads. No more than five salads should be offered. Tossed salads and molded gelatin salads can be varied somewhat from day to day. Potato salad should be offered to accompany cold plates or sandwiches if desired. A fruit salad with cottage cheese should be offered as a cold plate entree, although it could also be offered under salads. These items together with cole slaw will give the needed salad variety.
- 8. Desserts. Eight to ten dessert offerings should be offered, some of which, such as pie, frosted cake, jello, and pudding, could be varied from day to day of desired. The results of the hospital survey shows a disproportionate number of dessert items because many include a large variety of ice cream and sherbert flavors.
- 9. Specials of the day. No plans for entree or other specials should be made until the menu has been in use long enough to study patient acceptability.

Modified Diet Menus

General

1. The modified diet menus should be divided into six main classifications.

- a. Calorie restricted (Cal/R), type II hyperlipoproteinemia, (HLP), diabetic, bland (Mod 1).
- b. Sodium restricted (Na/R) calorie restricted (Cal/R), type II hyperlipoproteinemia, (HLP), diabetic, bland (Mod 2).
 - c. Fiber restricted, residue restricted, bland.
 - d. Pureed bland.
 - e. Dental liquid.
 - f. Full liquid.
- 2. Consolidation of diets should be implemented. Specially formulated production guides requested by WRAMC for this purpose should be used. With the current vast number of special diet variations, it is not possible to give proper attention and quality control examinations to each item prepared and served. By preparing, freezing, and assembling fewer items, the quality of the products will improve.
- 3. A children's menu may be offered by changing the menu design with little or no change in items offered.
- 4. The first two diets listed, the Cal/R, Type II, HLP diabetic, bland and the Na/R, Cal/R, Type II HLP diabetic, bland contain the same item selections. A change in menu color, order sheet color, and item number should be made to differentiate the sodium-restricted items from the calorie-restricted items.
- 5. Extremely small volume products, such as the dental liquid and pureed bland items, should be made in bulk, but frozen individually. The removal from frozen storage should be determined by tallying rather than forecasting.

Comment: It is realized that there will be occasions when the consolidated modified diet menus will not exactly meet the needs of certain patients. This problem can be largely overcome in ways other than expanding the number of items to be prepared and assembled. Special order forms, printed diet instructions, clip-ons added to the menu, and clinical dietetic assistance can all help to tailor the menu to the individual patient.

Modified Diet Menus

Cal/R, Type II HLP, diabetic bland (Mod 1) and Na/R, Cal/R, Type II HLP, diabetic bland (Mod 2).

Breakfast

- 1. Appetizers. The same appetizers should be available when possible as those on the regular diet menu.
- 2. Eggs. A decrease in egg offerings to scrambled eggs and omelets is necessary due to the use of low cholesterol egg substitutes. If other acceptable low cholesterol egg entrees are available, they could be added to the menu.
- 3. Cereals. Cereals similar to those on the regular diets should be offered.
- 4. Accompaniments. Should remain the same as on the regular diet menu.
- 5. Breakfast breads. Should remain the same as on the regular diet, except for limitations on items such as doughnuts or danish pastry as necessary.

Dinner-Supper

- 1. Appetizers. Appetizers on the dinner-supper menu should be similar to the regular diet appetizers.
- 2. Cold Entrees. Cold entrees and sandwiches should be varied slightly from those on the regular diet to allow adaptation to the modified diets.
- 3. Hot Sandwiches. Hot sandwiches should remain similar to those on the regular diet menus.
- 4. Hot Entrees. Twelve hot entrees should be offered from consolidated modified diet entree production guides.
- 5. Starches. Five to six starches should be offered from modified diet entree guides.
- 6. Vegetables. Vegetables should be similar to those on the regular diet.
- 7. Salads. Salads should be similar to those on the regular diet.
- 8. Breads. Depending upon the patient's diet, the bread selection should be similar to the regular menu.
- 9. Desserts. Desserts should be selected from those developed at NLABS for consolidated diets. For patients whose diets allow a wider range of desserts, clip-on of regular dessert items could be used.

Fiber-Restricted, Residue-Restricted Bland Diet

Using the items available on the other diets, the WRAMC dietary staff should design a low fiber, low residue bland diet. The number of items for selection should be similar to those recommended in the other diets.

Pureed Bland Diet

Breakfast

The pureed bland breakfast diet should be assembled from items found on the regular and consolidated modified diet menus.

Dinner-Supper

- 1. Appetizers. The appetizers for the pureed bland diets should be the same as items taken from the regular and modified diet menus.
- 2. Entrees. A maximum of 10 entrees for the pureed bland diet should be selected from the entrees developed at NLABS. These items should greatly enhance the food served to patients on the pureed bland diet.
- 3. Vegetables. Vegetables should be selected from available production guides. Because of other limitations in diet selection, such as the absence of salad, the patient should be allowed to make at least two selections of vegetables.
- 4. Desserts. Desserts for patients on the pureed bland diet should be assembled from those prepared for other diets.

Dental Liquid Diet

Breakfast

- 1. Appetizers. Juices from other diets should be used for dental liquid patients.
- 2. Cereals. Thinned, strained cereals prepared from available production guides should be offered to the dental liquid patient.
- 3. Beverages. Because of the lack of other choices such as eggs, additional beverages such as eggnog should be offered on the menu. Other high protein drinks could also be made available.

Dinner-Supper

- 1. Appetizers. Appetizers for dinner-supper should include four of the thinned, strained soups developed at NLABS for dental liquid patients. Two juices could also be available.
- 2. Entrees. Ten dental liquid entrees should be available for selection by the dental liquid patient.
- 3. Vegetables. Eight vegetables selected from available production guides should be on the menu. The patient should have a choice of at least two vegetables.

- 4. Desserts. A choice of six desserts is recommended. These also should be selected from those guides developed at NLABS.
- 5. Beverages. Additional beverages should be available to the dental liquid patient. Eggnogs, milkshakes, hot chocolate, and milk are all nutritionally advantageous to these patients.

Full Liquid Diet

Items on the full liquid diet should be taken from suitable products available on other diets.

Miscellaneous

- 1. In as many instances as possible, routine accompaniments, condiments, and accessories should be placed on the patient's tray. Thus, all regular diet patients would receive salt and pepper, crackers if they order soup, butter or margarine with bread or rolls, jelly with toast, milk and sugar with coffee, milk with cereal, etc. The waste involved in routinely providing most accompaniments would be offset by the savings in labor.
- 2. To accommodate ordering other accompaniments, the clinical dietitians together with patient tray assembly personnel should develop order sheets, which would indicate what accompaniments modified diet patients could receive.
- 3. As a back-up, certain condiments and accompaniments should be available from the galleys on the patient floors.

REFERENCES

- Darsch, G., C. Shaw, and J. Tuomy; Storage Study of Frozen Entree Items Developed for Walter Reed Army Medical Center, NATICK/TR-78/006, April 1978. (AD A091 769)
- Darsch, G., R. Young, C. Shaw, and J. Tuomy; Entree Production Guides for Modified Deits at Walter Reed Army Medical Center, Part IV: Meat Substitute Entrees, NATICK/TR-79/015 (FEL 92) 1979. (AD A079 958)
- Helmer, R., and H. Schlup; Meat Entree Production Guides Developed for Use in Fort Lee Interim Central Food Preparation Facility, NLABS/TR 74-27 (FEL 12) March 1975. (AD A009 733)
- McNutt, J., M. Branagan, J. McPhee, L. Albertini, and M. Klicka; Entree Production Guides for Modified Diets at Walter Reed Army Medical Center, Part V: Renal Diet Items, NATICK/TR-79/014 (FEL 103) 1979. (AD A083 141)
- Meiselman, H.L., D. Waterman, L. E. Symington; Armed Forces Food Preferences, NLATS TR 75-63, FSL, December 1974.
- Rahman, A., H. Gorfein, N. Kelley, G. Schafer, W. Swantak, and D. Westcott; Production Guides for Vegetables, Entrees, Soups, Desserts, Pastries and Salads Developed for Use in Central Food Preparation Facility, NLABS TR 75-35, FEL 13 Sep 1974. (AD A001 725)
- Rahman, A., H. Schlup, G. Schafer, W. Swantak, and N. Kelley; Production Guides for Meat and Vegetable Entrees and Desserts Developed for Use in the Frozen Foil Pack Feeding System. F.E. Warren Air Force Base, NLABS TR 76-20, (FEL 52) Feb 1976. (AD A099 678)
- Shaw, C., G. Darsch, G. Legris, Y. Masuoka, and J. Tuomy; Entree Production Guides for Modified Deits at Walter Reed Army Medical Center, Part I: Consolidated Modified Meat Entrees, NATICK/TR-79-010, (FEL 91), 1979. (AD A079 949)
- Shaw, C., V. Loveridge, G. Darsch, and J. Tuomy; Entree Production Guides for Modified Diets at Walter Reed Army Medical Center, Part II: Pureed Bland Entrees, NATICK/TR-79/011, (FEL 93) 1979. (AD A073 718)
- Shaw, C., V. Loveridge, G. Darsch, and J. Tuomy; Entree Production Guides for Modified Diets at Walter Reed Army Medical Center, Part III: Dental Liquid Entrees, NATICK/TR-79/012 (FEL 90) 1979. (AD A069 183)
- Tuomy, J., G. Walker, L. Hinnergardt; Pilot Plant Production of Frozen Entree Items for the Navy, NLABS TR 76-31A (FEL 59) Sep 1976. (AD A031 327)

Walker, G., J. Tuomy, C. Kanter; Egg Products for Use in a Cook/Freeze System, NATICK/TR-76/28 (FEL 57) August 1976 (AD A031 023).

Young, R., C. Shaw, G. Darsch, J. Tuomy, and G. Walker; Meat and Fish Entree Production Guides Prepared for Walter Reed Army Medical Center, NATICK/TR-77/005 (FEL-77-004) Apr 1977 (AD A004 476).